

# Java Reference Card

## 1. Classes

The following is an example of a “main” class:

```
public class Calculator {  
    public static void main(String[] args) {  
    }  
}
```

and the following is an example of a “utility” class (with no methods):

```
public class Geometry {  
}
```

## 2. Methods

The following is an example of a method declaration with an empty body:

```
public static double circleArea(double radius) {  
}
```

and the following is an example of an invocation of this method (assuming that it is in the Geometry class):

```
area = Geometry.circleArea(radius);
```

## 3. Conditionals

The following is an example of an if statement with an else clause:

```
if (price > 100.00) {  
    discount = 0.40;  
} else {  
    discount = 0.10;  
}
```

## 4. Operators

### Arithmetic Operators

Addition	+
Decrement	-
Division	/
Increment	++
Int. Division	/
Multiplication	*
Modulus	%
Negation	-
Subtraction	-

### Logical Operators

And	&	&&
Excl. Or	^	
Incl. Or		
Not	!	

### Relational Operators

Equal	==
Greater than	>
Greater than or equal	>=
Less Than	<
Less than or equal	<=
Not equal	!=

## 4. Type Conversion

Example Expression	Type	Value
<code>(1 + 2 + 3 + 4) / 4.0</code>	double	2.5
<code>"1234" + 99</code>	String	"123499"
<code>11 * 0.25</code>	double	2.75
<code>(int)2.71828</code>	int	2
<code>(int)11 * 0.25</code>	double	2.75
<code>11 * (int)0.25</code>	int	0
<code>(int)(11 * 0.25)</code>	int	2

## 5. Library Methods

### Signature

`Math.abs(double v)`  
`Math.cos(double a)`  
`Math.max(double x, double y)`  
`Math.min(double x, double y)`  
`Math.pow(double v, double p)`  
`Math.sin(double a)`  
`Math.sqrt(double v)`  
`Math.tan(double a)`  
`Math.toDegrees(double r)`  
`Math.toRadians(double d)`  
`Math.E`  
`Math.PI`

### Purpose

Absolute value  
Cosine  
Maximum  
Minimum  
v raised to the p power  
Sine  
Square root  
Tangent  
Radians to degrees  
Degrees to radians  
The base of the natural log  
The circumference over the radius

## 5. Input

### Input Using a Scanner Object

```
import java.util.Scanner;

double d;
int i;
Scanner in;
String s;
in = new Scanner(System.in);
d = in.nextDouble();
i = in.nextInt();
s = in.nextLine();
```

### Input Using the JMUConsole Class

```
double d;
int i;
String s;

JMUConsole.open();
d = JMUConsole.readDouble();
i = JMUConsole.readInt();
s = JMUConsole.readLine();
JMUConsole.close();
```

## 6. Output

Both the `System.out` object and the `JMUConsole` class have the following methods. (Recall that `JMUConsole.open()` must be called before it can be used for either input or output and `JMUConsole.close()` should be called just before the program terminates.)

<code>print()</code>	Can be passed a double, int, or String
<code>println()</code>	Can be passed a double, int, or String
<code>printf()</code>	Is passed a format string and one value for each format specifier

<b>Example Specifier</b>	<b>Description</b>
<code>%d</code>	Integer
<code>%5d</code>	Integer in a field of width 5
<code>%f</code>	Floating-point
<code>%f5.2</code>	Floating-point in a field of width 5 with 2 places to the right of the .
<code>%s</code>	String

<b>Complete Example</b>	<b>0123456789102345678901234567890</b>
<code>printf("%2d%5.2f", 5, 8.1)</code>	5 8.10
<code>printf("%10d%8.4f", 5, 8.1)</code>	5 8.1000