



Welcome to CS 149

Section 0006
Instructor: Alvin Chao



CS 149

Professor: Alvin Chao



Anatomy of a Java Program: Comments

Javadoc comments:

```
/**  
 * Application that converts inches to centimeters.  
 *  
 * @author Chris Mayfield  
 * @version 01/21/2014  
 */
```

Everything between `/**` and `*/` ignored by compiler
Used to generate code documentation



Anatomy of a Java Program: Comments

Block comments are used for text that should *not* be part of the published documentation:

```
/*  
    Permission is hereby granted, free of charge, to any  
    person obtaining a copy of this software and associated  
    documentation files (the "Software"), to deal in the  
    Software without restriction.  
*/
```

In-line comments are used for short clarifying statements:

```
// Create a scanner for standard input.
```



Anatomy of a Java Program: Classes

Java is an **object-oriented language** (OO)

Java classes tie together instructions and data

All Java code *must* exist within some class

```
public class ConvertInches {  
  
}
```

`public` and `class` are **keywords**: Words that have a special meaning for Java.

`public` – (more later)

`class` – Create a class with the following name. (Must match the file name)

Class names are always capitalized

Braces { and } enclose **blocks** of code



Anatomy of a Java Program: Methods

Method – named collection
of Java statements:

```
public class ConvertInches {  
    public static void main(String[] args) {  
    }  
}
```

Later



Anatomy of a Java Program: Methods

Method – named collection of Java statements:

```
public class ConvertInches {  
    public static void main(String[] args) {  
    }  
}
```

Later

return type
(void means
nothing is
returned)

Anatomy of a Java Program: Methods

Method – named collection of Java statements:

```
public class ConvertInches {  
    public static void main(String[] args) {  
    }  
}
```

Later

return type
(void means
nothing is
returned)

method name
“main” is the starting
point for all Java
programs

Anatomy of a Java Program: Methods

Method – named collection of Java statements:

```
public class ConvertInches {  
    public static void main(String[] args) {  
    }  
}
```

Later

return type
(void means
nothing is
returned)

method name
“main” is the starting
point for all Java
programs

argument type
String[] means that
this method takes an
array of Strings.

Anatomy of a Java Program: Methods

Method – named collection of Java statements:

argument name
args will be an array of Strings from the command line.
args[0], args[1], etc.

```
public class ConvertInches {  
    public static void main(String[] args) {  
    }  
}
```

Later


return type
(void means nothing is returned)

method name
“main” is the starting point for all Java programs

argument type
String[] means that this method takes an array of Strings.


Anatomy of a Java Program: Declaring and Assigning Variables

variable – named box for storing data:




Anatomy of a Java Program: Declaring and Assigning Variables

variable – named box for storing data:



Anatomy of a Java Program: Declaring and Assigning Variables

variable – named box for storing data:



Anatomy of a Java Program: Standard Library and Keyboard Input

```
import java.util.Scanner;

/**
 * Application that converts inches to
 * centimeters.
 *
 * @author Chris Mayfield
 * @version 01/21/2014
 */
public class ConvertInches {

    public static void main(String[] args) {
        int inch;
        double cent;
        final double CENT_PER_INCH;
        CENT_PER_INCH = 2.54;

        // Create a scanner for standard input.
        Scanner keyboard;
        keyboard = new Scanner(System.in);

        // Prompt the user and get the value.
        System.out.print("How many inches? ");
        inch = keyboard.nextInt();
    }
}
```

import
“Brings in” external classes

The Scanner class, along
with System.in are used to
read user input from the
terminal

Putting it all together...

```
import java.util.Scanner;

/**
 * Application that converts inches to centimeters.
 *
 * @author Chris Mayfield
 * @version 01/21/2014
 */
public class ConvertInches {

    public static void main(String[] args) {
        int inch;
        double cent;
        final double CENT_PER_INCH;
        CENT_PER_INCH = 2.54;

        // Create a scanner for standard input.
        Scanner keyboard;
        keyboard = new Scanner(System.in);

        // Prompt the user and get the value.
        System.out.print("How many inches? ");
        inch = keyboard.nextInt();


        // Convert and output the result.
        cent = inch * CENT_PER_INCH;
        System.out.print(inch + "in = ");
        System.out.println(cent + "cm ");
    }
}
```

multiplication

+ joins strings (or
adds numbers)

Reminder: Portability

Most “high-level” languages are considered portable because they can be compiled into machine code for any computer:




Java Compilation

Byte Code Files are portable because there are JVM's that run on most machines

The same compiled byte code works on any JVM

Figure 1-5
Program development process



Which is Syntactically Correct?

```
public static void main(String[] args)
{
    System.out.println("Hello " + args[0] + "!");
    System.out.println("Welcome to CS139.");
}
```

```
public class Personal {
    public static void main(String[] args)
    {
        System.out.println("Hello " + args[0] + "!");
        System.out.println("Welcome to CS139.");
    }
}
```

```
public class Personal
{
    // public static void main(String[] args)
    {
        System.out.println("Hello " + args[0] + "!");
        System.out.println("Welcome to CS139.");
    }
}
```

Which is Syntactically Correct?

(File name is Good.java)

```
public class Welcome {
    public static void main(String[] args)
    {
        String name;
        name = "Bob";
        System.out.println("Hello " + name + "!");
        System.out.println("Welcome to CS139.");
    }
}
```

```
public class Good {
    public static void main(String[] args)
    {
        String name;
        "Bob" = name;
        System.out.println("Hello " + name + "!");
        System.out.println("Welcome to CS139.");
    }
}
```

```
public class Good {
    public static void main(String[] args)
    {
        String name;
        name = "Bob";
        System.out.println("Hello " + name + "!");
        System.out.println("Welcome to CS139.");
    }
}
```

Which is Syntactically Correct?

```
public class Good
  public static void main(String[] args)
  {
    String name;
    name = "Bob";
    System.out.println("Hello " + name + "!");
    System.out.println("Welcome to CS139.");
  }
}
```

```
public class Good {
  public static void main(String[] args)
  {
    String name;
    name = "Bob";
    System.out.println("Hello " + name + "!");
    System.out.println("Welcome to CS139.");
  }
}
```

```
public class Good {
  public static void main(String[] args){
    String name; name = "Bob";
    System.out.println("Hello " + name + "!");
    System.out.println("Welcome to CS139.");}
}
```

</end>

