



# CS 149

Professor: Alvin Chao

# CS149 – More with Classes and Objects





# OverLoading

- Let's look at the Car class...



# Terminology

- Method definition

```
public void accelerate(double amount) {  
    speed += amount;  
  
    if (speed > MAX_SPEED) {  
        speed = MAX_SPEED;  
    }  
}
```



# Terminology

- Method definition
- Method body
- Method header

```
public void accelerate(double amount) {  
    speed += amount;  
  
    if (speed > MAX_SPEED) {  
        speed = MAX_SPEED;  
    }  
}
```

```
    speed += amount; }  
  
    if (speed > MAX_SPEED) {  
        speed = MAX_SPEED;  
    }  
}
```

```
public void accelerate(double amount)
```

# Terminology

- Method definition
- Method body
- Method header
- Method signature

```
public void accelerate(double amount) {  
    speed += amount;  
  
    if (speed > MAX_SPEED) {  
        speed = MAX_SPEED;  
    }  
}
```

```
    speed += amount;  
  
    if (speed > MAX_SPEED) {  
        speed = MAX_SPEED;  
    }  
}
```

```
public void accelerate(double amount)
```

```
accelerate(double amount)
```

# Quiz #1

```
public class Person {  
  
    private String name;  
  
    public Person(String name) {  
        name = name;  
    }  
  
    public String getName() {  
        return name;  
    }  
  
}
```

```
Person bob = new Person("Bob");  
System.out.println(bob.getName());
```

Will it  
compile?

If so, what will be  
printed?

# Quiz #1

```
public class Person {  
  
    private String name;  
  
    public Person(String name) {  
        name = name;  
    }  
  
    public String getName() {  
        return name;  
    }  
  
}
```

The name parameter  
**shadows** the name  
field.

```
Person bob = new Person("Bob");  
System.out.println(bob.getName());
```

Will it compile? **YES**

If so, what will be printed? **Bob**





# Quiz #2

```
public class Person {  
  
    private String name;  
  
    public Person(String n) {  
        name = n;  
    }  
  
    public String getName() {  
        return name;  
    }  
  
}
```

```
Person bob = new Person("Bob");  
System.out.println(bob.toString());
```

Will it compile?

If so, what will be printed?



# Quiz #2

```
public class Person {  
  
    private String name;  
  
    public Person(String n) {  
        name = n;  
    }  
  
    public String getName() {  
        return name;  
    }  
  
}
```

```
Person bob = new Person("Bob");  
System.out.println(bob.toString());
```

Will it compile? YES

If so, what will be printed? Person@6ff4ff23

# Quiz #2

```
public class Person {  
  
    private String name;  
  
    public Person(String n) {  
        name = n;  
    }  
  
    public String getName() {  
        return name;  
    }  
  
}
```

```
Person bob = new Person("Bob");  
System.out.println(bob.toString());
```

Every class has a default `toString` method. The string will contain the name of the class and the location of the object in memory. (This is usually not very helpful.)

Will it compile? **YES**

If so, what will be printed? **Person@6ff4ff23**

# Quiz #3

```
public class Person {  
  
    private String name;  
  
    public Person(String n) {  
        name = n;  
    }  
  
    public String getName() {  
        return name;  
    }  
  
    public String toString() {  
        return "Person named: " + name;  
    }  
  
}
```

```
Person bob = new Person("Bob");  
System.out.println(bob);
```

Will it compile?

If so, what will be printed?

# Quiz #3

```
public class Person {  
  
    private String name;  
  
    public Person(String n) {  
        name = n;  
    }  
  
    public String getName() {  
        return name;  
    }  
  
    public String toString() {  
        return "Person named: " + name;  
    }  
}
```

```
Person bob = new Person("Bob");  
System.out.println(bob);
```

Will it compile? **YES**

If so, what will be printed?

**Person named:  
Bob**

The print methods will automatically call the toString method of any object passed to them.

# Quiz #4

```
public class Person {  
  
    private String name;  
  
    public Person(String n) {  
        name = n;  
    }  
  
    public String getName() {  
        return name;  
    }  
  
    public String toString() {  
        return "Person named: " + name;  
    }  
}
```

```
Person bob1 = new Person("Bob");  
Person bob2 = new Person("Bob");  
System.out.println(bob1 == bob2);
```

Will it compile?

If so, what will be printed?

# Quiz #4

```
public class Person {  
  
    private String name;  
  
    public Person(String n) {  
        name = n;  
    }  
  
    public String getName() {  
        return name;  
    }  
  
    public String toString() {  
        return "Person named: " + name;  
    }  
  
}
```

```
Person bob1 = new Person("Bob");  
Person bob2 = new Person("Bob");  
System.out.println(bob1 == bob2);
```

Will it compile? YES

If so, what will be printed?

false

# Quiz #4

```
public class Person {  
  
    private String name;  
  
    public Person(String n) {  
        name = n;  
    }  
  
    public String getName() {  
        return name;  
    }  
  
    public String toString() {  
        return "Person named: " + name;  
    }  
  
}
```

```
Person bob1 = new Person("Bob");  
Person bob2 = new Person("Bob");  
System.out.println(bob1 == bob2);
```

Will it compile? **YES**

If so, what will be printed?

**false**

`==` Compares the addresses (references) stored in the two variables.

Two objects → two different addresses.



# Quiz #5

```
public class Person {  
  
    private String name;  
  
    public Person(String n) {  
        name = n;  
    }  
  
    public String getName() {  
        return name;  
    }  
  
    public String toString() {  
        return "Person named: " + name;  
    }  
  
}
```

```
Person bob1 = new Person("Bob");  
Person bob2 = new Person("Bob");  
System.out.println(bob1.equals(bob2))  
;
```

Will it compile?

If so, what will be printed?

# Quiz #5

```
public class Person {  
  
    private String name;  
  
    public Person(String n) {  
        name = n;  
    }  
  
    public String getName() {  
        return name;  
    }  
  
    public String toString() {  
        return "Person named: " + name;  
    }  
  
}
```

```
Person bob1 = new Person("Bob");  
Person bob2 = new Person("Bob");  
System.out.println(bob1.equals(bob2))  
;
```

Will it compile? YES

If so, what will be printed?

false

# Quiz #5

```
public class Person {  
  
    private String name;  
  
    public Person(String n) {  
        name = n;  
    }  
  
    public String getName() {  
        return name;  
    }  
  
    public String toString() {  
        return "Person named: " + name;  
    }  
  
}
```

```
Person bob1 = new Person("Bob");  
Person bob2 = new Person("Bob");  
System.out.println(bob1.equals(bob2))  
;
```

Will it compile? **YES**

If so, what will be printed?

**false**

All classes get a default `.equals` method. It just uses `==`.

# Typical equals Method

```
public class Person {
    private String name;
    private int ssn;

    public Person(String nm, int num) {
        name = nm;
        ssn = num;
    }

    public String getName() {
        return name;
    }

    public int getSSN() {
        return ssn;
    }

    public String toString() {
        return "Person named: " + name;
    }

    public boolean equals(Person other) {

        return name.equals(other.getName())
            && ssn == other.getSSN();
    }
}
```

Compares all  
fields.

# Typical equals Method

```
public class Person {
    private String name;
    private int ssn;

    public Person(String nm, int num) {
        name = nm;
        ssn = num;
    }

    public String getName() {
        return name;
    }

    public int getSSN() {
        return ssn;
    }

    public String toString() {
        return "Person named: " + name;
    }

    public boolean equals(Person other) {

        return name.equals(other.getName())
            && ssn == other.getSSN();
    }
}
```

```
Person bob1 = new Person("Bob", 1);
Person bob2 = new Person("Bob", 1);
Person bob3 = new Person("Bob", 3);
Person bob4 = bob2;
```

```
System.out.println(bob1.equals(bob2))
;
System.out.println(bob1.equals(bob3))
;
System.out.println(bob1.equals(bob4))
;
System.out.println(bob2.equals(bob4))
;
System.out.println(bob1 == bob2);
System.out.println(bob1 == bob3);
System.out.println(bob1 == bob4);
System.out.println(bob2 == bob4);
```

What will be printed?

# Typical equals Method

```
public class Person {
    private String name;
    private int ssn;

    public Person(String nm, int num) {
        name = nm;
        ssn = num;
    }

    public String getName() {
        return name;
    }

    public int getSSN() {
        return ssn;
    }

    public String toString() {
        return "Person named: " + name;
    }

    public boolean equals(Person other) {

        return name.equals(other.getName())
            && ssn == other.getSSN();
    }
}
```

```
Person bob1 = new Person("Bob", 1);
Person bob2 = new Person("Bob", 1);
Person bob3 = new Person("Bob", 3);
Person bob4 = bob2;
System.out.println(bob1.equals(bob2));
System.out.println(bob1.equals(bob3));
System.out.println(bob1.equals(bob4));
System.out.println(bob2.equals(bob4));
System.out.println(bob1 == bob2);
System.out.println(bob1 == bob3);
System.out.println(bob1 == bob4);
System.out.println(bob2 == bob4);
```

What will be printed?

true  
false  
true  
true  
false  
false  
false  
true



# toString and equals

- Providing toString and equals methods should be a routine part of developing a class.
- No toString method?
  - Complicates testing
- No equals method?
  - May lead to sneaky bugs
  - (Remember that a “broken” equals method will be provided by default.)

# Quiz

```
public class CarMain {  
  
    public static void main(String[] args) {  
        int result;  
        String s = "Hello";  
        System.out.println(s);  
        result = nonsense1(s);  
        System.out.println(s);  
  
        Car ford = new Car("Ford", 1992);  
        System.out.println(ford.getSpeed());  
        result = nonsense2(ford);  
        System.out.println(ford.getSpeed());  
    }  
    public static int nonsense1(String word) {  
  
        word += word;  
        return word.length();  
    }  
  
    public static int nonsense2(Car car) {  
  
        car.accelerate();  
        return car.getYear();  
    }  
  
}
```

What will be printed?



# Quiz

```
public class CarMain {  
  
    public static void main(String[] args) {  
        int result;  
        String s = "Hello";  
        System.out.println(s);  
        result = nonsense1(s);  
        System.out.println(s);  
  
        Car ford = new Car("Ford", 1992);  
        System.out.println(ford.getSpeed());  
        result = nonsense2(ford);  
        System.out.println(ford.getSpeed());  
    }  
    public static int nonsense1(String word) {  
  
        word += word;  
        return word.length();  
    }  
  
    public static int nonsense2(Car car) {  
  
        car.accelerate();  
        return car.getYear();  
    }  
}
```

What will be printed?

Hello  
Hello  
0.0  
5.0



# Mutable vs Immutable Types

- **Immutable** types - Objects can't be changed once created
  - String is an immutable type
- **Mutable** types - An object's fields may change over time
- We need to be careful that our methods don't accidentally modify mutable objects that are passed as arguments.



- **Acknowledgements**

Parts of this activity are based on materials developed by Chris Mayfield and Nathan Sprague.

---

</end>